



R6 Platform Family Introduction



www.use-ip.co.uk
01304 827609

First Choice for Security Professionals



1

Introducing the R6 family

2

R6 Advantages

Introducing the R6 family

HIKVISION



Mini PT Camera



Mini Dome Camera



Mini Bullet Camera



Fixed Dome Camera



Vari-focal Dome Camera



EXIR Turret Camera



Varo-focal Bullet Camera



EXIR Bullet Camera

R6 Advantages

HIKVISION

- H.264+
- 120 dB True WDR
- Full HD
- 4 MP



Mini PT Camera



Mini Dome Camera



Mini Bullet Camera



Fixed Dome Camera



Vari-focal Dome Camera



EXIR Turret Camera



Varo-focal Bullet Camera



EXIR Bullet Camera

- Note: languages supported (for now): English, Russian, Spanish, Portuguese

R6 Camera model indoor

HIKVISION

WDR Mini PT Network Camera

- Full HD 1920 x 1080 @ 25fps
- 4 MP 2688 x 1520 @ 20fps
- Wi-Fi build in (-W)
- IR range 10m
- 2.8 / 4 / 6mm lens
- Audio/alarm I/O (-S)
- Motorized PT Pan 180gr Tilt 75gr
- Mobile monitoring EZVIZ P2P
- 128GB SD Storage



2 MP DS-2CD2F22FWD-I (W)(S)

4 MP DS-2CD2F42FWD-I (W)(S)

R6 Camera model outdoor

HIKVISION

WDR Mini Dome Network Camera

- Full HD 1920 x 1080 @ 25fps
- 4 MP 2688 x 1520 @ 20fps
- Wi-Fi build in (-W)
- IR range 10m
- 2.8 / 4 / 6mm lens
- 3-axis adjustment
- Audio/alarm I/O (-S)
- Mobile monitoring EZVIZ P2P
- IK08 impact resistance
- 128GB SD Storage



2 MP DS-2CD2522FWD-I (W)(S)

4 MP DS-2CD2542FWD-I (W)(S)

R6 Camera models outdoor

HIKVISION

WDR Mini Bullet Network Camera

- Full HD 1920 x 1080 @ 25fps
- 4 MP 2688 x 1520 @ 20fps
- IR range 30m
- 4 / 6mm lens
- Mobile monitoring EZVIZ P2P



2 MP DS-2CD2022WD-I
4 MP DS-2CD2042WD-I

R6 Camera models outdoor

HIKVISION

WDR Fixed Dome Network Camera

- Full HD 1920 x 1080 @ 25fps
- 4 MP 2688 x 1520 @ 20fps
- IR range 30m
- 4 / 6mm lens
- 3-axis adjustment
- 128GB SD Storage
- Wi-Fi build in (-W)
- IK08 impact resistance
- Audio/alarm I/O (-S)



2 MP DS-2CD2122FWD-I (W)(S)

4 MP DS-2CD2142FWD-I (W)(S)

R6 Camera models outdoor

HIKVISION

WDR Vari-focal Dome Network Camera

- Full HD 1920 x 1080 @ 25fps
- 4 MP 2688 x 1520 @ 20fps
- IR range 20m
- 2.8 – 12 mm lens F1.4
- 3-axis adjustment
- 128GB SD Storage
- Audio/alarm I/O (-S)
- IK10 impact resistance



2 MP DS-2CD2722FWD-I (S)

4 MP DS-2CD2742FWD-I (S)

R6 Camera models outdoor

HIKVISION

WDR EXIR Turret Network Camera

- Full HD 1920 x 1080 @ 25fps
- 4 MP 2688 x 1520 @ 20fps
- EXIR range 30m
- 2.8 / 4 / 6mm lens
- 3-axis adjustment



2 MP DS-2CD2322WD-I
4 MP DS-2CD2342WD-I

R6 Camera models outdoor

HIKVISION

WDR Varo-focal Bullet Network Camera

- H.264+
- 120 dB WDR
- IR range 20-30m
- 2.8 – 12mm lens F1.4
- 3-axis adjustment
- 128GB SD Storage
- Audio/alarm I/O (-S)



2 MP DS-2CD2622FWD-I (S)

4 MP DS-2CD2642FWD-I (S)

R6 Camera models outdoor

HIKVISION

WDR EXIR Network Bullet Camera

- H.264+
- 120 dB WDR
- 4 / 6 / 12 / 16 mm
- EXIR range 30m / 50m / 80m
- 3-axis adjustment



2 MP DS-2CD2T22WD-I3/I5/I8

4 MP DS-2CD2T42WD-I3/I5/I8

Thank You