



## Security Solutions Product Line-Up Catalog



# NETWORK

<p><b>4K</b></p> <p><b>SNB-9000</b></p>  <p><b>4K UHD &amp; 12MP Box</b></p> <ul style="list-style-type: none"> <li>• 12MP @ 20fps / 4K @ 30fps</li> <li>• Simple Focus</li> <li>• H.264, Day &amp; Night (ICR)</li> <li>• Intelligent Video Analytics</li> </ul>	<p><b>5MP</b></p> <p><b>SNB-8000</b></p>  <p><b>5MP Box</b></p> <ul style="list-style-type: none"> <li>• 5MP @ 20fps, 1080p @ 30fps</li> <li>• Exceptional low light 0.01 Lux (1/20, 30IRE)</li> <li>• Simple Focus, P-Iris</li> <li>• Built-in Mic</li> <li>• Tampering, Audio Detection</li> </ul>	<p><b>SNO-8081R</b></p>  <p><b>IK10 IP66</b></p> <p><b>5MP Bullet IR</b></p> <ul style="list-style-type: none"> <li>• 30fps@all resolutions</li> <li>• Concurrent H.265 &amp; H.264 Streaming</li> <li>• 0.12Lux(Color), 0Lux (B/W : IR LED on)</li> <li>• 2.4x motorized varifocal lens</li> <li>• Hallway view (Rotate 90° / 270°)</li> <li>• IK10, IP66</li> </ul>	<p><b>SNV-8081R</b></p>  <p><b>IK10 IP66</b></p> <p><b>5MP Vandal-Resistant IR</b></p> <ul style="list-style-type: none"> <li>• 30fps@all resolutions</li> <li>• 0.1Lux@F1.2 (Color), 0Lux (B/W : IR LED on)</li> <li>• 2.6x motorized varifocal lens</li> <li>• Hallway view (Rotate 90° / 270°)</li> <li>• Concurrent H.265 &amp; H.264</li> <li>• IK10, IP66</li> </ul>	<p><b>SNV-8080</b></p>  <p><b>IK10 IP66</b></p> <p><b>5MP Vandal-Resistant</b></p> <ul style="list-style-type: none"> <li>• 5MP @ 20fps, 1080p @ 30fps</li> <li>• Exceptional low light 0.01 Lux (1/20, 30IRE)</li> <li>• Simple Focus</li> <li>• Heater by PoE (-40°F)</li> <li>• IK10, IP66</li> </ul>
<p><b>SNF-8010/8010VM</b></p>  <p><b>IK10 IP66</b></p> <p><b>5MP 360° Fisheye/Mobile Vandal-Resistant</b></p> <ul style="list-style-type: none"> <li>• 6 Dewarping View Modes</li> <li>• Digital PTZ / Bi-Directional Audio</li> <li>• Digital Wide Dynamic Range</li> <li>• Motion Detection</li> <li>• M12 &amp; RJ-45 Connector (SNF-8010VM)</li> <li>• IK10, IP66 (SNF-8010VM)</li> </ul>	<p><b>NEW</b></p> <p><b>QNO-7080R</b></p>  <p><b>IK10 IP66 WISENET Q</b></p> <p><b>4MP Bullet IR</b></p> <ul style="list-style-type: none"> <li>• 20fps@4MP, 30fps@2MP</li> <li>• 2.8 ~ 12mm Motorized lens, Simple Focus</li> <li>• Wide Dynamic Range (120dB)</li> <li>• H.265/H.264 with WiseStream</li> <li>• Hallway View, Defocus Detection, LDC</li> <li>• True Day &amp; Night, Built in IR (98ft), IP66, IK10</li> </ul>	<p><b>NEW</b></p> <p><b>QNO-7030R</b></p>  <p><b>IK10 IP66 WISENET Q</b></p> <p><b>4MP Bullet IR</b></p> <ul style="list-style-type: none"> <li>• 20fps@4MP, 30fps@2MP</li> <li>• 6mm fixed lens</li> <li>• Wide Dynamic Range (120dB)</li> <li>• H.265/H.264 with WiseStream</li> <li>• Hallway View, Defocus Detection, LDC</li> <li>• True Day &amp; Night, Built in IR (98ft), IP66, IK10</li> </ul>	<p><b>NEW</b></p> <p><b>QNO-7020R</b></p>  <p><b>IK10 IP66 WISENET Q</b></p> <p><b>4MP Bullet IR</b></p> <ul style="list-style-type: none"> <li>• 20fps@4MP, 30fps@2MP</li> <li>• 3.6mm fixed lens</li> <li>• Wide Dynamic Range (120dB)</li> <li>• H.265/H.264 with WiseStream</li> <li>• Hallway View, Defocus Detection, LDC</li> <li>• True Day &amp; Night, Built in IR (96ft), IP66, IK10</li> </ul>	<p><b>NEW</b></p> <p><b>QNO-7010R</b></p>  <p><b>IK10 IP66 WISENET Q</b></p> <p><b>4MP Bullet IR</b></p> <ul style="list-style-type: none"> <li>• 20fps@4MP, 30fps@2MP</li> <li>• 2.8mm fixed lens</li> <li>• Wide Dynamic Range (120dB)</li> <li>• H.265/H.264 with WiseStream</li> <li>• Hallway View, Defocus Detection, LDC</li> <li>• True Day &amp; Night, Built in IR (98ft), IP66, IK10</li> </ul>
<p><b>NEW</b></p> <p><b>QND-7080R</b></p>  <p><b>WISENET Q</b></p> <p><b>4MP Dome IR</b></p> <ul style="list-style-type: none"> <li>• 20fps@4MP, 30fps@2MP</li> <li>• 2.8 ~ 12mm Motorized lens, Simple Focus</li> <li>• Wide Dynamic Range (120dB)</li> <li>• H.265/H.264 with WiseStream</li> <li>• Hallway View, Defocus Detection, LDC</li> <li>• True Day &amp; Night, Built in IR (65ft),</li> </ul>	<p><b>NEW</b></p> <p><b>QND-7030R</b></p>  <p><b>WISENET Q</b></p> <p><b>4MP Dome IR</b></p> <ul style="list-style-type: none"> <li>• 20fps@4MP, 30fps@2MP</li> <li>• 6mm fixed lens</li> <li>• Wide Dynamic Range (120dB)</li> <li>• H.265/H.264 with WiseStream</li> <li>• Hallway View, Defocus Detection, LDC</li> <li>• True Day &amp; Night, Built in IR (65ft),</li> </ul>	<p><b>NEW</b></p> <p><b>QND-7020R</b></p>  <p><b>WISENET Q</b></p> <p><b>4MP Dome IR</b></p> <ul style="list-style-type: none"> <li>• 20fps@4MP, 30fps@2MP</li> <li>• 3.6mm fixed lens</li> <li>• Wide Dynamic Range (120dB)</li> <li>• H.265/H.264 with WiseStream</li> <li>• Hallway View, Defocus Detection, LDC</li> <li>• True Day &amp; Night, Built in IR (65ft),</li> </ul>	<p><b>NEW</b></p> <p><b>QND-7010R</b></p>  <p><b>WISENET Q</b></p> <p><b>4MP Dome IR</b></p> <ul style="list-style-type: none"> <li>• 20fps@4MP, 30fps@2MP</li> <li>• 2.8mm fixed lens</li> <li>• Wide Dynamic Range (120dB)</li> <li>• H.265/H.264 with WiseStream</li> <li>• Hallway View, Defocus Detection, LDC</li> <li>• True Day &amp; Night, Built in IR (65ft)</li> </ul>	<p><b>NEW</b></p> <p><b>QNV-7010R</b></p>  <p><b>IK10 IP66 WISENET Q</b></p> <p><b>4MP Vandal-Resistant IR</b></p> <ul style="list-style-type: none"> <li>• 20fps@4MP, 30fps@2MP</li> <li>• 2.8mm fixed lens</li> <li>• Wide Dynamic Range (120dB)</li> <li>• H.265/H.264 with WiseStream</li> <li>• Hallway View, Defocus Detection, LDC</li> <li>• True Day &amp; Night, Built in IR (98ft)</li> <li>• IK10, IP66</li> </ul>
<p><b>NEW</b></p> <p><b>QNV-7080R</b></p>  <p><b>IK10 IP66 WISENET Q</b></p> <p><b>4MP Vandal-Resistant IR</b></p> <ul style="list-style-type: none"> <li>• 20fps@4MP, 30fps@2MP</li> <li>• 2.8 ~ 12mm Motorized lens, Simple Focus</li> <li>• Wide Dynamic Range (120dB)</li> <li>• H.265/H.264 with WiseStream</li> <li>• Hallway View, Defocus Detection, LDC</li> <li>• True Day &amp; Night, Built in IR (98ft)</li> <li>• IK10, IP66</li> </ul>	<p><b>NEW</b></p> <p><b>QNV-7030R</b></p>  <p><b>IK10 IP66 WISENET Q</b></p> <p><b>4MP Vandal-Resistant IR</b></p> <ul style="list-style-type: none"> <li>• 20fps@4MP, 30fps@2MP</li> <li>• 6mm fixed lens</li> <li>• Wide Dynamic Range (120dB)</li> <li>• H.265/H.264 with WiseStream</li> <li>• Hallway View, Defocus Detection, LDC</li> <li>• True Day &amp; Night, Built in IR (98ft)</li> <li>• IK10, IP66</li> </ul>	<p><b>NEW</b></p> <p><b>QNV-7020R</b></p>  <p><b>IK10 IP66 WISENET Q</b></p> <p><b>4MP Vandal-Resistant IR</b></p> <ul style="list-style-type: none"> <li>• 20fps@4MP, 30fps@2MP</li> <li>• 3.6mm fixed lens</li> <li>• Wide Dynamic Range (120dB)</li> <li>• H.265/H.264 with WiseStream</li> <li>• Hallway View, Defocus Detection, LDC</li> <li>• True Day &amp; Night, Built in IR (98ft)</li> <li>• IK10, IP66</li> </ul>	<p><b>3MP</b></p> <p><b>SNB-7004</b></p>  <p><b>WISENET III</b></p> <p><b>3MP Box</b></p> <ul style="list-style-type: none"> <li>• 3MP @ 30fps</li> <li>• Wide Dynamic Range (120dB)</li> <li>• Simple focus, P-Iris</li> <li>• Day &amp; Night (ICR), Digital Image Stabilization, Defog</li> </ul>	<p><b>SNO-7084R</b></p>  <p><b>IK10 IP66 WISENET III</b></p> <p><b>3MP Bullet IR</b></p> <ul style="list-style-type: none"> <li>• 3MP @ 30fps</li> <li>• Wide Dynamic Range (120dB)</li> <li>• Simple focus, P-Iris</li> <li>• Day &amp; Night (ICR), Digital Image Stabilization, Defog</li> <li>• IK10, IP66</li> </ul>
<p><b>SND-7084/7084R</b></p>  <p><b>IK08 WISENET III</b></p> <p><b>3MP Dome/IR</b></p> <ul style="list-style-type: none"> <li>• 3MP @ 30fps</li> <li>• Wide Dynamic Range (120dB)</li> <li>• Simple focus, P-Iris</li> <li>• Day &amp; Night (ICR), Digital Image Stabilization, Defog</li> <li>• IK08 (SND-7084R)</li> </ul>	<p><b>SNV-7084/7084R</b></p>  <p><b>IK10 IP66 WISENET III</b></p> <p><b>3MP Vandal-Resistant/IR</b></p> <ul style="list-style-type: none"> <li>• 3MP @ 30fps</li> <li>• Wide Dynamic Range (120dB)</li> <li>• Simple focus, P-Iris</li> <li>• Day &amp; Night (ICR), Digital Image Stabilization, Defog</li> <li>• IK10, IP66</li> </ul>	<p><b>SNF-7010/V/VM</b></p>  <p><b>IK10 IP66 WISENET III</b></p> <p><b>3MP 360° Fisheye</b></p> <ul style="list-style-type: none"> <li>• 3MP @ 30fps</li> <li>• Wide Dynamic Range (120dB)</li> <li>• Bi-directional audio</li> <li>• IK10, IP66 (SNF-7010V/VM)</li> <li>• M12 Connector (SNF-7010VM)</li> </ul>	<p><b>2MP</b></p> <p><b>SNB-6011/6011B</b></p>  <p><b>WISENET III</b></p> <p><b>2MP 2.4mm Covert</b></p> <ul style="list-style-type: none"> <li>• 1080p @ 30fps</li> <li>• Wide Dynamic Range (120dB)</li> <li>• Analog BNC output</li> <li>• Advanced motion detection, Defog</li> <li>• Multi-crop streaming</li> <li>• Extremely discreet design</li> <li>• Analytics • 134° Wide Angle View</li> <li>• Audio (SNB-6011B)</li> </ul>	<p><b>SNB-6010/6010A/6010B</b></p>  <p><b>WISENET III</b></p> <p><b>2MP 4.6mm Covert</b></p> <ul style="list-style-type: none"> <li>• 1080p @ 30fps</li> <li>• Wide Dynamic Range (120dB)</li> <li>• Advanced motion detection, Defog</li> <li>• Multi-crop streaming</li> <li>• Extremely discreet design</li> <li>• Analytics</li> <li>• Audio (SNB-6010B)</li> <li>• Analog BNC Output (SNB-6010A/6010B)</li> </ul>

<p><b>SNB-H-6010</b></p>  <p>WISENET III</p> <p><b>2MP Height Marker Camera</b></p> <ul style="list-style-type: none"> <li>• Fits most standard door frames</li> <li>• Durable steel construction</li> <li>• Highly visible color coded height levels</li> <li>• Curved surface w/180° HFOV camera adjustment</li> <li>• Wrap-around labels visible from 2 side</li> <li>• 2MP 1080P camera installed</li> </ul>	<p><b>SNB-J-6010</b></p>  <p>WISENET III</p> <p><b>2MP Doorjamb Camera</b></p> <ul style="list-style-type: none"> <li>• Designed for easy installation</li> <li>• Fits most standard door frames</li> <li>• Durable steel construction</li> <li>• Curved surface with 180° HFOV camera adjustment</li> <li>• 2MP 1080P camera installed</li> </ul>	<p><b>SNB-6005</b></p>  <p>WISENET III</p> <p><b>2MP Super Low Light Box</b></p> <ul style="list-style-type: none"> <li>• 1/1.9" PS 2.4M CMOS</li> <li>• 0.015Lux@F1.2(Color), 0.0015Lux F1.2(B/W)</li> <li>• Wide Dynamic Range (120dB)</li> <li>• Digital Image Stabilization</li> <li>• Multiple streaming</li> <li>• P-Iris, Simple focus</li> <li>• Analytics</li> </ul>	<p><b>SNB-6004/6003</b></p>  <p>WISENET III</p> <p><b>2MP Box</b></p> <ul style="list-style-type: none"> <li>• 1080p @ 60fps</li> <li>• Wide Dynamic Range (120dB)</li> <li>• Digital Image Stabilization</li> <li>• Smart compression</li> <li>• Multiple streaming</li> <li>• P-Iris, Simple focus (SNB-6004)</li> <li>• Analytics</li> </ul>	<p><b>SNZ-6320</b></p>  <p>WISENET III</p> <p><b>2MP Zoom Box</b></p> <ul style="list-style-type: none"> <li>• 1080p @ 60fps</li> <li>• 32x optical zoom</li> <li>• Multiple streaming</li> <li>• Analytics</li> <li>• Wide Dynamic Range (120dB)</li> </ul>
<p><b>SNO-6084R</b></p>  <p>IK10 IP66 WISENET III</p> <p><b>2MP Bullet IR</b></p> <ul style="list-style-type: none"> <li>• 1080p @ 60fps</li> <li>• 2.8x simple focus</li> <li>• Wide Dynamic Range (120dB)</li> <li>• Digital Image Stabilization</li> <li>• Smart compression</li> <li>• Multiple streaming</li> <li>• Analytics</li> <li>• IP66, IK10</li> </ul>	<p><b>SNO-6011R</b></p>  <p>IK10 IP66 WISENET III</p> <p><b>2MP Bullet IR</b></p> <ul style="list-style-type: none"> <li>• 1080p @ 30fps</li> <li>• 3.8mm fixed lens</li> <li>• Wide Dynamic Range (120dB)</li> <li>• Smart compression</li> <li>• Multiple streaming</li> <li>• Analytics</li> <li>• IP66</li> </ul>	<p><b>SNO-L6083R</b></p>  <p>IK10 IP66 WISENET Lite</p> <p><b>2MP Bullet IR</b></p> <ul style="list-style-type: none"> <li>• 30fps@all resolutions (H.264)</li> <li>• 4.3x varifocal lens</li> <li>• Motion detection, Tampering</li> <li>• IR viewable length 65ft</li> <li>• Hallway view (Rotate 90°/270°)</li> <li>• Lens Distortion Correction</li> <li>• IK10, IP66</li> </ul>	<p><b>SNO-L6013R</b></p>  <p>IP66 WISENET Lite</p> <p><b>2MP Bullet IR</b></p> <ul style="list-style-type: none"> <li>• 30fps@all resolutions (H.264)</li> <li>• 3.6mm fixed lens</li> <li>• Motion detection, Tampering</li> <li>• IR viewable length 65ft</li> <li>• Hallway view (Rotate 90°/270°)</li> <li>• Lens Distortion Correction</li> <li>• IP66</li> </ul>	<p><b>SND-6084R</b></p>  <p>WISENET III</p> <p><b>2MP Dome IR</b></p> <ul style="list-style-type: none"> <li>• 1080p @ 60fps</li> <li>• 2.8x simple focus</li> <li>• Wide Dynamic Range (120dB)</li> <li>• Digital Image Stabilization</li> <li>• IR viewable length 49ft</li> <li>• Smart compression</li> <li>• Multiple streaming</li> <li>• Analytics</li> </ul>
<p><b>SND-6084/6083</b></p>  <p>WISENET III</p> <p><b>2MP Dome</b></p> <ul style="list-style-type: none"> <li>• 1080p @ 60fps</li> <li>• 2.8x motorized lens (SND-6084)</li> <li>• Wide Dynamic Range (120dB)</li> <li>• Digital Image Stabilization</li> <li>• Smart compression</li> <li>• Multiple streaming</li> <li>• Analytics, Simple focus (SND-6084)</li> </ul>	<p><b>SND-6011R</b></p>  <p>WISENET III</p> <p><b>2MP Dome IR</b></p> <ul style="list-style-type: none"> <li>• 1080p @ 30fps</li> <li>• Built-in 3.8mm fixed lens</li> <li>• Wide Dynamic Range (120dB)</li> <li>• Digital Image Stabilization</li> <li>• Smart compression</li> <li>• Multiple streaming</li> <li>• Analytics</li> </ul>	<p><b>SND-L6083R</b></p>  <p>WISENET Lite</p> <p><b>2MP Dome IR</b></p> <ul style="list-style-type: none"> <li>• 30fps@all resolutions (H.264)</li> <li>• 4.3x varifocal lens</li> <li>• Motion detection, Tampering</li> <li>• IR viewable length 49ft</li> <li>• Hallway view (Rotate 90°/270°)</li> <li>• Lens Distortion Correction</li> </ul>	<p><b>SND-L6013R</b></p>  <p>WISENET Lite</p> <p><b>2MP Dome IR</b></p> <ul style="list-style-type: none"> <li>• 30fps@all resolutions (H.264)</li> <li>• 3.6mm fixed lens</li> <li>• Motion detection, Tampering</li> <li>• IR viewable length 65ft</li> <li>• Hallway view (Rotate 90°/270°)</li> <li>• Lens Distortion Correction</li> </ul>	<p><b>SND-L6013/L6012</b></p>  <p>WISENET Lite</p> <p><b>2MP Dome</b></p> <ul style="list-style-type: none"> <li>• 30fps@all resolutions (H.264)</li> <li>• SND-L6013: 3.6mm fixed lens; SND-L6012: 2.8mm fixed lens</li> <li>• Motion detection, Tampering</li> <li>• Hallway view (Rotate 90°/270°)</li> <li>• Lens Distortion Correction</li> </ul>
<p><b>SNV-6085R</b></p>  <p>IK10 IP66 WISENET III</p> <p><b>2MP Vandal-Resistant IR</b></p> <ul style="list-style-type: none"> <li>• 60fps@all resolutions (H.264)</li> <li>• 2.3x simple focus (10 ~23mm)</li> <li>• Wide Dynamic Range (120dB)</li> <li>• Digital Image Stabilization</li> <li>• Smart compression</li> <li>• Multiple streaming</li> <li>• Analytics</li> <li>• IK10, IP66</li> </ul>	<p><b>SNV-6084/6084R</b></p>  <p>IK10 IP66 WISENET III</p> <p><b>2MP Vandal-Resistant/IR</b></p> <ul style="list-style-type: none"> <li>• 1080p @ 60fps</li> <li>• 2.8x simple focus</li> <li>• Wide Dynamic Range (120dB)</li> <li>• Digital Image Stabilization</li> <li>• Smart compression</li> <li>• Multiple streaming</li> <li>• Analytics</li> <li>• IK10, IP66</li> </ul>	<p><b>SNV-L6083R</b></p>  <p>IK10 IP66 WISENET Lite</p> <p><b>2MP Vandal-Resistant IR</b></p> <ul style="list-style-type: none"> <li>• 30fps@all resolutions (H.264)</li> <li>• 4.3x varifocal lens</li> <li>• Motion detection, Tampering</li> <li>• IR viewable length 65ft</li> <li>• Hallway view (Rotate 90°/270°)</li> <li>• Lens Distortion Correction</li> </ul>	<p><b>NEW</b> <b>SNV-L6013R</b></p>  <p>IK10 IP66 WISENET Lite</p> <p><b>2MP Vandal-Resistant Flat IR</b></p> <ul style="list-style-type: none"> <li>• 30fps@all resolutions (H.264)</li> <li>• Built-in 3.6mm fixed lens</li> <li>• Motion detection, Tampering</li> <li>• IR length 49ft</li> <li>• IP66, IK10</li> </ul>	<p><b>NEW</b> <b>SNV-L6014RM</b></p>  <p>IK10 IP66 WISENET Lite</p> <p><b>2MP Full HD Vandal-Resistant Flat IR Mobile</b></p> <ul style="list-style-type: none"> <li>• Built-in 3.6mm fixed lens</li> <li>• 1080p @ 30fps</li> <li>• IR viewable 49ft</li> <li>• Hallway view, LDC support, Built-in mic</li> <li>• IP66, IK10, M12, EN50155, EN50121</li> </ul>
<p><b>SNV-6013</b></p>  <p>IK10 IP66 WISENET III</p> <p><b>2MP Vandal-Resistant</b></p> <ul style="list-style-type: none"> <li>• 1080p @ 60fps</li> <li>• Built-in 2.8mm fixed lens standard</li> <li>• Wide Dynamic Range (120dB)</li> <li>• Motion Detection, Audio Detection, Video Analytics</li> <li>• IK10, IP66</li> </ul>	<p><b>SNV-6012M</b></p>  <p>IK10 IP66 WISENET III</p> <p><b>2MP Mobile Vandal-Resistant</b></p> <ul style="list-style-type: none"> <li>• 1080p @ 60fps</li> <li>• 2.8mm fixed lens (103.1° view) standard</li> <li>• Wide Dynamic Range (120dB)</li> <li>• Analytics</li> <li>• IP66, IK10, M12, EN50155, EN50121</li> </ul>	<p><b>SNP-6321/6321H</b></p>  <p>IK10 IP66 WISENET III</p> <p><b>2MP 32x Indoor/Outdoor PTZ</b></p> <ul style="list-style-type: none"> <li>• H.264, MJPEG dual codec, Multiple streaming</li> <li>• Wide Dynamic Range (120dB)</li> <li>• Intelligent Analytics</li> <li>• PoE+, SD memory card, Bi-directional audio support</li> <li>• SNP-6321H: IP66/IK10</li> </ul>	<p><b>NEW</b> <b>SNP-L6233/6233H</b></p>  <p>IK10 IP66 WISENET Lite</p> <p><b>2MP 23x Indoor/Outdoor PTZ</b></p> <ul style="list-style-type: none"> <li>• H.264, MJPEG dual codec, Multiple streaming</li> <li>• Wide Dynamic Range (100dB)</li> <li>• Intelligent Analytics</li> <li>• PoE+, SD memory card, Bi-directional audio support</li> <li>• SNP-L6233H: IP66, IK10</li> </ul>	<p><b>NEW</b> <b>SNP-L6233RH</b></p>  <p>IK10 IP66 WISENET Lite</p> <p><b>2MP 23x Outdoor IR PTZ</b></p> <ul style="list-style-type: none"> <li>• 4.4 ~ 101.2mm IR corrected optical zoom</li> <li>• H.264, MJPEG dual codec, Multiple streaming</li> <li>• Day &amp; Night (ICR), WDR (100dB)</li> <li>• IP66, IK10, IR LED (2ea)</li> <li>• IR Length 328ft</li> <li>• Analytics</li> </ul>

# NETWORK

<p><b>SNP-6320/6320H</b></p>  <p><b>2MP 32x Indoor/Outdoor PTZ</b></p> <ul style="list-style-type: none"> <li>• H.264, MJPEG dual codec, Multiple streaming</li> <li>• Wide Dynamic Range (120dB)</li> <li>• Auto tracking, Analytics</li> <li>• PoE+, SD memory card, Bi-directional audio support</li> <li>• SNP-6320H: IK10, IP66</li> </ul>	<p><b>SNP-6320RH</b></p>  <p><b>2MP 32x Outdoor IR PTZ</b></p> <ul style="list-style-type: none"> <li>• 1080p @ 60fps</li> <li>• 32x optical zoom</li> <li>• IR distance 493ft</li> <li>• Wide Dynamic Range (120dB)</li> <li>• Digital Image Stabilization</li> <li>• Auto Tracking</li> <li>• Multiple streaming</li> <li>• Analytics, IK10, IP66</li> </ul>	<p><b>IP Kits</b></p> <p><b>SRK-3040S-1TB</b></p>  <p><b>4CH/4CAM</b></p> <ul style="list-style-type: none"> <li>• 1080p Full HD recording and display</li> <li>• Plug-n-Play with Setup Wizard</li> <li>• PoE+ switch built in NVR</li> <li>• ONVIF Camera Compliant</li> <li>• SND-L6013R (Qty 4), SRN-473S (NVR)</li> <li>• 1TB hard drive included</li> </ul>	<p><b>SRK-3030S-1TB</b></p>  <p><b>4CH/3CAM (w/5MP fisheye)</b></p> <ul style="list-style-type: none"> <li>• 5MP recording and display</li> <li>• Plug-n-Play with Setup Wizard</li> <li>• PoE+ switch built in NVR</li> <li>• Dewarped on camera 180/360 panoramic view</li> <li>• ONVIF Camera Compliant</li> <li>• SND-L6013R (Qty 2), SNF-8010 (Fisheye), SRN-473S (NVR)</li> <li>• 1TB hard drive included</li> </ul>	<p><b>SRK-4060S -2TB</b></p>  <p><b>8CH/6CAM</b></p> <ul style="list-style-type: none"> <li>• 1080p Full HD recording and display</li> <li>• Plug-n-Play with Setup Wizard</li> <li>• PoE+ switch built in NVR</li> <li>• ONVIF Camera Compliant</li> <li>• SND-L6013R (Qty 6), SRN-873S (NVR)</li> <li>• 2TB hard drive included</li> </ul>
<p><b>SRK-5120S-3TB</b></p>  <p><b>16CH/12CAM</b></p> <ul style="list-style-type: none"> <li>• 1080p Full HD recording and display</li> <li>• Plug-n-Play with Setup Wizard</li> <li>• PoE+ switch built in NVR</li> <li>• ONVIF Camera Compliant</li> <li>• SND-L6013R (Qty 12), SRN-1673S (NVR)</li> <li>• 3TB hard drive included</li> </ul>	<p><b>1.3MP</b></p> <p><b>SNB-5004</b></p>  <p><b>1.3MP Box</b></p> <ul style="list-style-type: none"> <li>• 1.3MP @60fps</li> <li>• Wide Dynamic Range (130dB)</li> <li>• Simple focus, P-iris</li> <li>• True Day &amp; Night (ICR)</li> <li>• Digital Image Stabilization, Defog</li> <li>• Multi-crop streaming</li> </ul>	<p><b>SNO-5084R</b></p>  <p><b>1.3MP Bullet IR</b></p> <ul style="list-style-type: none"> <li>• 1.3MP @ 60fps</li> <li>• 2.8x simple focus</li> <li>• Wide Dynamic Range (130dB)</li> <li>• Intelligent Analytics</li> <li>• IK10, IP66</li> </ul>	<p><b>SNO-L5083R</b></p>  <p><b>1.3MP Bullet IR</b></p> <ul style="list-style-type: none"> <li>• 30fps@all resolutions (H.264)</li> <li>• 4.3x varifocal lens</li> <li>• Motion detection, Tampering</li> <li>• IR viewable length 65ft</li> <li>• Hallway view (Rotate 90°/270°)</li> <li>• Lens Distortion Correction</li> <li>• IK10, IP66</li> </ul>	<p><b>SND-5084/5084R</b></p>  <p><b>1.3MP Dome/IR</b></p> <ul style="list-style-type: none"> <li>• 1.3MP @ 60fps</li> <li>• 2.8x simple focus</li> <li>• Wide Dynamic Range (130dB)</li> <li>• Digital Image Stabilization</li> <li>• Smart compression</li> <li>• Multiple streaming</li> <li>• Analytics</li> <li>• IR viewable length 98ft (SND-5084R)</li> </ul>
<p><b>SND-L5083R</b></p>  <p><b>1.3MP Dome IR</b></p> <ul style="list-style-type: none"> <li>• 30fps@all resolutions (H.264)</li> <li>• 4.3x varifocal lens</li> <li>• Motion detection, Tampering</li> <li>• IR viewable length 49ft</li> <li>• Hallway view (Rotate 90°/270°)</li> <li>• Lens Distortion Correction</li> </ul>	<p><b>SND-L5013</b></p>  <p><b>1.3MP Full HD Dome</b></p> <ul style="list-style-type: none"> <li>• 30fps@all resolutions (H.264)</li> <li>• 3.6mm fixed lens</li> <li>• Motion detection, tampering</li> <li>• Hallway view (Rotate 90°/270°)</li> <li>• Lens Distortion Correction</li> </ul>	<p><b>SNV-5084/5084R</b></p>  <p><b>1.3MP HD Vandal-Resistant/IR</b></p> <ul style="list-style-type: none"> <li>• 1.3MP @ 60fps</li> <li>• 2.8x simple focus</li> <li>• Analytics</li> <li>• Day &amp; Night (ICR), Wide Dynamic Range (130dB)</li> <li>• Simple focus, Enhanced DIS, Defog</li> <li>• Multi-crop streaming, PoE, IP66, IK10</li> <li>• IR viewable length 98ft (SNV-5084R)</li> </ul>	<p><b>SNV-L5083R</b></p>  <p><b>1.3MP Full HD Vandal-Resistant IR</b></p> <ul style="list-style-type: none"> <li>• 30fps@all resolutions (H.264)</li> <li>• 4.3x varifocal lens</li> <li>• Motion detection, Tampering</li> <li>• IR viewable length 65ft</li> <li>• Hallway view (Rotate 90°/270°)</li> <li>• Lens Distortion Correction</li> <li>• IK10, IP66</li> </ul>	<p><b>SNP-5321/5321H</b></p>  <p><b>1.3MP HD 43x PTZ</b></p> <ul style="list-style-type: none"> <li>• H.264, MJPEG dual codec, Multiple streaming</li> <li>• Wide Dynamic Range (120dB)</li> <li>• Day &amp; Night (ICR), Analytics</li> <li>• PoE+, SD memory card, Bi-directional audio support</li> <li>• IK10, IP66 (SNP-5321H)</li> </ul>
<p><b>NEW</b></p> <p><b>SNP-L5233H/L5233</b></p>  <p><b>1.3MP HD 23x PTZ</b></p> <ul style="list-style-type: none"> <li>• H.264, MJPEG dual codec, Multiple streaming</li> <li>• Wide Dynamic Range (100dB)</li> <li>• Day &amp; Night (ICR), Analytics</li> <li>• PoE+, SD memory card, Bi-directional audio support</li> <li>• IK10, IP66 (SNP-L5233H)</li> </ul>	<p><b>SNP-5430/5430H</b></p>  <p><b>1.3MP 43x PTZ</b></p> <ul style="list-style-type: none"> <li>• H.264, MJPEG dual codec, Multiple streaming</li> <li>• Day &amp; Night (ICR), WDR (120dB)</li> <li>• Auto tracking, Analytics</li> <li>• PoE+, SD memory card, Bi-directional audio support</li> <li>• IK10, IP66 (SNP-5430H)</li> </ul>	<p><b>NVRs</b></p> <p><b>SRN-4000</b></p>  <p><b>64CH 400Mbps Premium</b></p> <ul style="list-style-type: none"> <li>• Up to 64CH/400Mbps 5MP Supported</li> <li>• Max 12 Hot-Swap HDDs (RAID 5/6)</li> <li>• HDMI/VGA local monitor</li> <li>• iSCSI Storage supported</li> <li>• Redundant Hot-Swap power supply</li> <li>• ONVIF Camera Compliant</li> </ul>	<p><b>NEW</b></p> <p><b>XRN-2011</b></p>  <p><b>32CH 4K NVR</b></p> <ul style="list-style-type: none"> <li>• H.265/H.264 and MJPEG Support</li> <li>• Up to 12MP/4K recording &amp; playback</li> <li>• 250Mbps recording bandwidth</li> <li>• Up to 8 hard drives can be installed internally, RAID 5, ISCSI</li> <li>• HDMI (2.0) Video output, Up to UHD (4K) resolution</li> <li>• POS integration available</li> </ul>	<p><b>NEW</b></p> <p><b>XRN-2010</b></p>  <p><b>32CH 4K NVR</b></p> <ul style="list-style-type: none"> <li>• H.265/H.264 and MJPEG Support</li> <li>• Up to 12MP/4K recording &amp; playback</li> <li>• 250Mbps recording bandwidth</li> <li>• Up to 8 hard drives can be installed internally, ISCSI</li> <li>• HDMI (2.0) Video output, Up to UHD (4K) resolution</li> <li>• POS integration available</li> </ul>
<p><b>SRN-1673S</b></p>  <p><b>16CH NVR with PoE+ Switch</b></p> <ul style="list-style-type: none"> <li>• Up to 16CH 8MP supported</li> <li>• 80Mbps network camera recording</li> <li>• Plug &amp; play by 16 PoE/PoE+ ports</li> <li>• Max 4HDDs, e-SATA storage supported</li> <li>• HDD removable (Easy install)</li> <li>• HDMI / VGA local monitor</li> <li>• ONVIF Camera Compliant</li> </ul>	<p><b>SRN-873S</b></p>  <p><b>8CH NVR with PoE+ Switch</b></p> <ul style="list-style-type: none"> <li>• Up to 8CH 8MP supported</li> <li>• 64Mbps network camera recording</li> <li>• Plug &amp; play by 8 PoE/PoE+ ports</li> <li>• Max2HDDs, e-SATA storage supported</li> <li>• HDMI / VGA local monitor</li> <li>• ONVIF Camera Compliant</li> </ul>	<p><b>SRN-473S</b></p>  <p><b>4CH NVR with PoE+ Switch</b></p> <ul style="list-style-type: none"> <li>• Up to 4CH 8M supported</li> <li>• 32Mbps network camera recording</li> <li>• Plug &amp; play by 4 PoE/PoE+ ports</li> <li>• Max 1 HDD</li> <li>• HDMI / VGA local monitor</li> <li>• ONVIF Camera Compliant</li> </ul>	<p><b>Encoders/Decoders</b></p> <p><b>SPD-400</b></p>  <p><b>4CH Video Decoder</b></p> <ul style="list-style-type: none"> <li>• H.264, MPEG-4, MJPEG decoding</li> <li>• Full HD (1080p) video output</li> <li>• Single and quad view</li> <li>• Sequence mode for multiple video sources</li> </ul>	<p><b>SPE-400B/1600R</b></p>  <p><b>4CH Encoder Blades/16CH Encoder Rack</b></p> <ul style="list-style-type: none"> <li>• 4CIF resolution @ 30fps</li> <li>• Multiple streaming simultaneously</li> <li>• 10/100/1000BASE-T (SPE-1600R)</li> <li>• 4 slots (SPE-1600R)</li> </ul>

# NETWORK/ANALOG

## SPE-400/101/100



### 4CH / 1CH Video Encoder

- 4CIF @ 30fps
- H.264, MPEG-4, MJPEG multiple codec
- Multiple streaming simultaneously
- 10/100/1000BASE-T : SPE-400 PoE, 10/100BASE-T : SPE-101/100
- SD memory, bi-directional audio support: SPE-400/100

## Network Software

### SmartViewer



### Central Management

- Simple management software for Samsung products
- Up to 36 videos monitoring
- Full screen mode, sequence mode
- Up to 16 videos simultaneous playback
- Supports H.265, H.264, MPEG-4, & MJPEG video formats

## SSM



### Central Management

- Multi-site monitoring, Multi-client connection
- Efficient alarm monitoring
- Live & Map monitoring simultaneously
- Multi-level group/user authority mgmt
- Device Management, Search/Playback
- Real-time event log message
- Various system actions for events from devices
- Multi-site monitoring / multi-client
- Central management software for Samsung products
- Live/map viewer

## SSM-VM00/10L/20L



### SSM Virtual Matrix Add on module for SSM

- Monitor layout (4:3, 16:9, full screen mode -100 channel) supported
- Split layout supported
- Wall OSD On/Off supported
- Event salvo switching
- Controls 16/36 monitors (VM10L/20L)
- VM00: free for SPD-400

## SSM-RS00/10L/20L/30L: 16CH/36CH/72CH/128CH



### Samsung Recording Server

- Works with SSM
- RS00: 16CH free
- RS10/20/30: 36CH/72CH/128CH
- 400Mbps Recording Throughput
- ONVIF compatible (only on SSM-RS10/20/30)

## SSM mobile



### Mobile Client for SSM

- View Layout/Device list by user
- View live streaming video with PTZ control
- H.264/MJPEG
- Video Image Flip / Mirror, Video Image Capture
- Quick & easy access at mobile, WIFI networks

## iPOLiS mobile



### Mobile viewer for Android/iOS

- Smartphone app for Samsung network device monitoring
- View live streaming video with PTZ control
- H.264, MJPEG dual codec
- Video image flip/mirror, Video image capture
- Calendar search / playback / bookmark functions for DVRs / NVRs

## WiseNet HD+



### 1080p Analog HD Box

- 0.04Lux@F1.2 (Color), 0.004Lux@F1.2 (B/W)
- Day & Night (ICR), DWDR, SSSNRIV, Motion detection
- Dual power, RS-485

## NEW SC0-6083R



### 1080p Analog HD Bullet IR

- 2.8 ~ 12mm varifocal lens
- 0.11Lux@F1.4 (Color), 0Lux@F1.4 (B/W : IR LED on)
- IR viewable length 98ft
- IK10, IP66, Dual power

## NEW SC0-6023R



### 1080p Analog HD Bullet IR

- Built-in 4mm fixed lens
- 0.25Lux@F2.1 (Color), 0Lux@F2.1 (B/W : IR LED on)
- IR viewable length 65ft
- Day & Night (ICR), DWDR, SSSNRIV, Motion detection

## NEW SCD-6083R



### 1080p Analog HD Dome IR

- 2.8 ~ 12mm varifocal lens
- 0.11Lux@F1.4 (Color), 0Lux@F1.4 (B/W : IR LED on)
- IR viewable length 98ft
- IK10, IP66, Dual power

## NEW SCD-6023R



### 1080p Analog HD Dome IR

- Built-in 4mm fixed lens
- 0.25Lux@F2.1 (Color), 0Lux@F2.1 (B/W : IR LED on)
- IR viewable length 65ft
- Day & Night (ICR), DWDR, SSSNRIV, Motion detection

## NEW SCV-6083R



### 1080p Analog HD Vandal-Resistant IR

- 2.8 ~ 12mm varifocal lens
- 0.11Lux@F1.4 (Color), 0Lux@F1.4 (B/W : IR LED on)
- IR viewable length 98ft
- IK10, IP66, Dual power

## NEW SCV-6023R



### 1080p Analog HD Vandal-Resistant IR

- Built-in 4mm fixed lens
- 0.25Lux@F2.1 (Color), 0Lux@F2.1 (B/W : IR LED on)
- IR viewable length 65ft
- IK10, IP66

## 1280H (1,000TVL)

### SCB-5000/5003/5005



### 1280H Wide Dynamic Range Box

- 1,000TV Lines High Resolution
- 0.03Lux@F1.2, 50IRE, 0.01Lux@F1.2, 30IRE
- SCB-5003/5005: Wide Dynamic Range (120dB)
- Samsung Super Dynamic Range, Defog
- Simple focus (SCB-5005)
- Coaxial communication

### SC0-5083R



### 1280H Wide Dynamic Range Bullet IR

- 1,000TV lines High Resolution
- Wide Dynamic Range (120dB)
- Samsung Super Dynamic Range, Samsung Super Noise Reduction IV, Defog
- Coaxial Communication
- IK10, IP66

### SCD-5083/5082



### 1280H Wide Dynamic Range Dome

- 1000TV lines high resolution
- SCD-5083: Wide Dynamic Range (120dB)
- Samsung Super Dynamic Range, Samsung Super Noise Reduction IV, Defog
- Coaxial communication
- Black version available (SCD-5083B)

### SCD-5080



### 1280H Dome

- 1000TV lines high resolution
- Samsung Super Dynamic Range, Samsung Super Noise Reduction IV, Defog
- Coaxial communication

### SCD-5083R



### 1280H Wide Dynamic Range IR

- 1,000TV Lines High Resolution
- 0.03Lux@F1.2, 50IRE (Color), 0.01Lux@F1.2, 30IRE (Color), 0Lux (IR LED on) (B/W)
- 2.8x varifocal Lens
- Wide Dynamic Range (120dB), Day & Night (ICR)
- Coaxial Communication

### SCV-5085



### 1280H Wide Dynamic Range Dome

- 1000TV lines high resolution
- 0.03Lux@F1.2, 50IRE (Color), 0.003Lux@F1.2 50IRE (B/W)
- 2.8x simple focus
- Wide Dynamic Range (120dB)
- Coaxial Communication
- IK10, IP66

### SCV-5083/SCV-5082



### 1280H Wide Dynamic Range Dome

- 1000TV lines high resolution
- SCV-5083: Wide Dynamic Range (120dB)
- Samsung Super Noise Reduction IV, Defog
- Coaxial communication
- IK10, IP66

### SCV-5083R



### 1280H Wide Dynamic Range Vandal-Resistant IR

- 1,000TV Lines High Resolution
- 0.03Lux@F1.2, 50IRE (Color), 0.01Lux@F1.2, 30IRE (Color), 0Lux (IR LED on) (B/W)
- 2.8x varifocal Lens
- Wide Dynamic Range (120dB)
- Defog
- IK10, IP66

## 960H (700TVL)

### SCB-3003/3001



- 700TVL (Color), 700TVL (B/W):SCB-3003
- 650TVL (Color), 700TVL (B/W):SCB-3001
- 0.1Lux@F1.2 (Color), 0.01Lux (B/W)
- Wide Dynamic Range, Virtual Progressive Scan, Day & Night (ICR), Intelligent video
- Simple Focus : SCB-3003
- Coaxial control

### SCB-2000/2005



- 600TVL, Electronic D/N (SCB-2000)
- 700TVL, True d/N (SCB-2005)
- BLC/HLC
- Over Coax control

# ANALOG/DVRS

<p><b>SCZ-2373</b></p>  <p><b>680TV Lines, 37x Zoom</b></p> <ul style="list-style-type: none"> <li>• 680TVL (Color)</li> <li>• Min. 0.2Lux @ F1.6 (Color), 0.01Lux (B/W)</li> <li>• Pelco-C (Coaxitron), RS-485</li> </ul>	<p><b>SCZ-2273</b></p>  <p><b>680TV Lines, 27x Zoom</b></p> <ul style="list-style-type: none"> <li>• 680TVL (Color)</li> <li>• Min. 0.2Lux @ F1.6 (Color), 0.01Lux (B/W)</li> <li>• Pelco-C (Coaxitron), RS-485</li> </ul>	<p><b>SCD-3083</b></p>  <p><b>700TV Lines Dome</b></p> <ul style="list-style-type: none"> <li>• 960H</li> <li>• 700TVL (Color)</li> <li>• Min. 0.1Lux@F1.2 (Color), 0.01Lux(B/W)</li> <li>• 3.6x simple focus</li> <li>• Wide Dynamic Range</li> <li>• Analytics</li> <li>• Coax : Pelco-C (Coaxitron)</li> </ul>	<p><b>SCD-2082</b></p>  <p><b>700TV Lines Dome</b></p> <ul style="list-style-type: none"> <li>• 700TVL (Color), 650TVL (B/W)</li> <li>• Min. 0.1Lu x@ F1.2 (Color)</li> <li>• 3.6x (2.8 ~ 10mm) varifocal lens;</li> <li>• Motion detection</li> <li>• Coax : Pelco-C (Coaxitron)</li> </ul>	<p><b>SCD-2021/2022</b></p>  <p><b>700TV Lines Dome</b></p> <ul style="list-style-type: none"> <li>• 600TVL Electronic D/N (SCD-2021)</li> <li>• 700TVL Electronic D/N (SCD-2022)</li> <li>• BLC/HLC</li> <li>• Over Coax control</li> </ul>
<p><b>SCD-2042R/2022R</b></p>  <p><b>700TV Lines IR</b></p> <ul style="list-style-type: none"> <li>• 700TVL (Color)</li> <li>• IR distance 23ft</li> <li>• SCD-2022R: 3.8mm fixed lens; SCD-2042R: 8mm fixed lens</li> <li>• Motion Detection</li> <li>• Coax control</li> </ul>	<p><b>SCV-3083</b></p>  <p><b>700TV Lines, Vandal-Resistant</b></p> <ul style="list-style-type: none"> <li>• 700TVL (Color), 700TVL (B/W)</li> <li>• Min. 0.1Lux@F1.2 (Color), 0.01Lux(B/W)</li> <li>• 3.6x simple focus</li> <li>• Virtual Progressive Scan, Day &amp; Night (ICR), Analytics</li> <li>• IP66, Samsung Super Noise ReductionIII, Coaxial control</li> </ul>	<p><b>SCP-2373</b></p>  <p><b>680TV Lines, 37x PTZ</b></p> <ul style="list-style-type: none"> <li>• 680TVL (Color), 700TVL (B/W)</li> <li>• Min. 0.2Lux@F1.6 (Color), 0.02Lux (B/W)</li> <li>• Day &amp; Night (ICR), Samsung Super Noise ReductionIII</li> <li>• IP66, Coaxial control</li> </ul>	<p><b>SCP-2273/2273H</b></p>  <p><b>680TV Lines, 27x PTZ</b></p> <ul style="list-style-type: none"> <li>• 680TVL (Color), 700TVL (B/W)</li> <li>• Min. 0.2Lux@F1.6 (Color), 0.02Lux (B/W)</li> <li>• 27x zoom, digital 16x</li> <li>• Day &amp; Night (ICR), Samsung Super Noise ReductionIII</li> <li>• IP66, Coaxial control</li> </ul>	<p><b>DI (600TVL)</b></p> <p><b>SCZ-3250/2250</b></p>  <p><b>600TV Lines, 25x Zoom</b></p> <ul style="list-style-type: none"> <li>• 600TVL (Color), 700TVL (B/W)</li> <li>• Min. 0.2Lux@F1.65 (Color), 0.02Lux (B/W)</li> <li>• SCZ-3250:Wide Dynamic Range</li> <li>• Day &amp; Night (ICR),Analytics</li> <li>• Coaxial, RS-485 control</li> </ul>
<p><b>SCD-3080/2080</b></p>  <p><b>600TV Lines Dome</b></p> <ul style="list-style-type: none"> <li>• 600TVL (Color), 700TVL (B/W)</li> <li>• SCD-3080: Min. 0.3Lux @ F1.2 (Color), 0.01Lux (B/W); SCD-2080: Min. 0.15Lux @ F1.2 (Color), 0.001Lux (B/W)</li> <li>• 3.9x (2.8 ~ 11mm) / 3.6x (2.8 ~ 10mm) varifocal lens</li> <li>• Wide Dynamic Range (SCD-3080)</li> <li>• Coax : Pelco-C (Coaxitron)</li> </ul>	<p><b>SCD-2080E</b></p>  <p><b>600TV Lines Dome</b></p> <ul style="list-style-type: none"> <li>• 600TVL (Color), 700TVL (B/W)</li> <li>• Min. 0.15Lux@F1.2 (Color)</li> <li>• 3.6x (2.8 ~ 10mm) varifocal lens;</li> <li>• Motion detection</li> <li>• Coax : Pelco-C (Coaxitron)</li> </ul>	<p><b>SCD-2010</b></p>  <p><b>600TV Lines Dome</b></p> <ul style="list-style-type: none"> <li>• 600TV lines</li> <li>• Min. 0.04Lux @ F1.2</li> <li>• 3mm fixed lens</li> <li>• Coax : Pelco-C (Coaxitron)</li> </ul>	<p><b>SCD-1020R</b></p>  <p><b>520TV Lines, Compact IR</b></p> <ul style="list-style-type: none"> <li>• 520TVL (Color)</li> <li>• IR distance 33ft</li> <li>• 3.6mm fixed lens</li> <li>• Coax control</li> </ul>	<p><b>SCV-2080R</b></p>  <p><b>600TV Lines, Vandal IR</b></p> <ul style="list-style-type: none"> <li>• 600TVL (Color), 700TVL (B/W)</li> <li>• IR distance: 96ft</li> <li>• 3.6x (2.8 ~ 10mm) varifocal lens</li> <li>• Motion Detection</li> <li>• Coax : Pelco-C (Coaxitron)</li> <li>• IK10, IP66</li> </ul>
<p><b>SCP-3120VH</b></p>  <p><b>600TV Lines, 12x PTZ</b></p> <ul style="list-style-type: none"> <li>• 600TVL (Color), 700TVL (B/W)</li> <li>• Min. 0.7Lux @ F1.65 (Color), 0.07Lux (B/W)</li> <li>• Wide Dynamic Range</li> <li>• Analytics</li> <li>• RS-485</li> <li>• Heater</li> <li>• IK10, IP66</li> </ul>	<p><b>SCP-2120</b></p>  <p><b>600TV Lines, 12x PTZ</b></p> <ul style="list-style-type: none"> <li>• 600TVL (Color), 700TVL (B/W)</li> <li>• Min. 0.2Lux @ F1.67 (Color), 0.004Lux (B/W)</li> <li>• Motion detection</li> <li>• Pelco-C (Coaxitron), RS-485</li> </ul>	<p><b>SCP-2370RH</b></p>  <p><b>600TV Lines, 37x IR PTZ</b></p> <ul style="list-style-type: none"> <li>• 600TVL (Color), 700TVL (B/W)</li> <li>• IR Distance 328ft</li> <li>• Motion Detection</li> <li>• Pelco-C (Coaxitron), RS-485/422</li> <li>• Smart IR</li> <li>• IK10, IP66</li> </ul>	<p><b>DVRS</b></p> <p><b>SRD-1694</b></p>  <p><b>16CH 1080p Analog HD DVR</b></p> <ul style="list-style-type: none"> <li>• Up to 480 (1080p)fps recording rate</li> <li>• HDMI / VGA video output</li> <li>• 16CH audio inputs / 1CH audio output</li> <li>• Max. 8 internal HDDs</li> <li>• Coaxial control</li> <li>• Enhanced network bandwidth up to 64Mbps</li> <li>• 500m coax transmission</li> </ul>	<p><b>NEW</b></p> <p><b>SRD-1685</b></p>  <p><b>16CH 1080p Analog HD DVR</b></p> <ul style="list-style-type: none"> <li>• Up to 240 (1080p)fps recording rate</li> <li>• HDMI / VGA video output</li> <li>• 16CH audio inputs / 1CH audio output</li> <li>• Max. 4 internal HDDs</li> <li>• Coaxial control</li> <li>• Enhanced network bandwidth up to 64Mbps</li> <li>• 500m coax transmission</li> </ul>
<p><b>NEW</b></p> <p><b>SRD-1684</b></p>  <p><b>WISNET HD+</b></p> <p><b>16CH 1080p Analog HD DVR</b></p> <ul style="list-style-type: none"> <li>• Up to 480 (1080p)fps recording rate</li> <li>• HDMI / VGA video output</li> <li>• 16CH audio inputs / 1CH audio output</li> <li>• Max. 1 internal HDDs</li> <li>• Coaxial control</li> <li>• Enhanced network bandwidth up to 32Mbps</li> <li>• 200m coax transmission</li> </ul>	<p><b>SRD-1680D</b></p>  <p><b>8CH Full HD/16CH 960H H.264 Hybrid HD-SDI</b></p> <ul style="list-style-type: none"> <li>• 16CH 700TV lines / 8CH Full HD 1080p real-time recording</li> <li>• Full HD, VGA/HDMI video output</li> <li>• Max. 4 internal HDDs</li> <li>• HDD removable (Easy install)</li> <li>• Smart searching, Tampering support</li> <li>• PTZ Control via Coaxial Cable</li> <li>• Up to 64Mbps network bandwidth</li> </ul>	<p><b>SRD-1676D</b></p>  <p><b>16CH 1280H Real-time H.264</b></p> <ul style="list-style-type: none"> <li>• Up to 480fps recording rate</li> <li>• Video Loophrough</li> <li>• Max. 4 internal HDDs</li> <li>• Set independently for each channel-REC/Quality/Resolution</li> <li>• Digital Video Spot(2EA), USB(2ports) backup</li> </ul>	<p><b>SRD-1656D</b></p>  <p><b>16CH CIF Real-time H.264</b></p> <ul style="list-style-type: none"> <li>• Max. 4 internal HDDs</li> <li>• Video Loophrough</li> <li>• Up to 480fps recording rate</li> <li>• 16CH 1280H real-time DVR</li> <li>• Digital Video Spot(2EA), USB(2ports) backup</li> </ul>	<p><b>SRD-1654D</b></p>  <p><b>16CH CIF Real-time</b></p> <ul style="list-style-type: none"> <li>• Up to 480fps recording rate</li> <li>• Max. 4 internal HDDs</li> <li>• PTZ control via Coax cable</li> <li>• 4CH audio inputs / 1CH audio output</li> <li>• DVD-RW</li> <li>• Smart phone support</li> <li>• Full HD 1080p video out via HDMI</li> </ul>

# DVRS/CONTROLLERS/MONITORS


<p><b>SRD-1642</b></p>  <p><b>16CH 960H Real-time H.264</b></p> <ul style="list-style-type: none"> <li>• Up to 480fps recording rate</li> <li>• Easy user interface, common across all Samsung DVRS - GUI / Search / Back up / Set-up</li> <li>• Set independently for each channel</li> <li>• Privacy mask support each channel</li> </ul>	<p><b>NEW</b></p> <p><b>SRD-894</b></p>  <p><b>WISENET HD+</b></p> <p><b>8CH 1080p Analog HD DVR</b></p> <ul style="list-style-type: none"> <li>• Up to 240 (1080p)fps recording rate</li> <li>• HDMI / VGA video output</li> <li>• 8CH audio inputs / 1CH audio output</li> <li>• Max. 4 internal HDDs</li> <li>• Coaxial control</li> <li>• Enhanced network bandwidth up to 64Mbps</li> <li>• 500m coax transmission</li> </ul>	<p><b>NEW</b></p> <p><b>SRD-893</b></p>  <p><b>WISENET HD+</b></p> <p><b>8CH 1080p Analog HD DVR</b></p> <ul style="list-style-type: none"> <li>• Up to 240 (1080p)fps recording rate</li> <li>• HDMI / VGA video output</li> <li>• 8CH audio inputs / 1CH audio output</li> <li>• Max. 1 internal HDDs</li> <li>• Coaxial control</li> <li>• Enhanced network bandwidth up to 32Mbps</li> <li>• 200m coax transmission</li> </ul>	<p><b>SRD-880D</b></p>  <p><b>8CH Full HD-SDI</b></p> <ul style="list-style-type: none"> <li>• Up to 240fps recording rate</li> <li>• Touch interface front panel</li> <li>• Max. 4 internal HDDs</li> <li>• DVD-RW, Smart phone support</li> <li>• PTZ Control via Coaxial Cable</li> <li>• Up to 64Mbps network bandwidth</li> </ul>	<p><b>SRD-873D</b></p>  <p><b>8CH 960H/D1 Real-time H.264</b></p> <ul style="list-style-type: none"> <li>• Up to 240fps recording rate</li> <li>• Max. 4 internal HDDs</li> <li>• PTZ control via Coax cable</li> <li>• 8CH audio inputs / 1CH audio output</li> <li>• DVD-RW</li> <li>• Smart phone support</li> </ul>
<p><b>SRD-854D</b></p>  <p><b>8CH CIF Real-time</b></p> <ul style="list-style-type: none"> <li>• Up to 240 fps recording rate</li> <li>• Max. 4 internal HDDs</li> <li>• PTZ control via Coax cable</li> <li>• Full HD 1080p video out via HDMI</li> <li>• 4CH audio inputs / 1CH audio output</li> <li>• DVD-RW</li> <li>• Smart phone support</li> <li>• Touch interface front panel</li> </ul>	<p><b>SRD-850DC</b></p>  <p><b>8CH CIF Real-time H.264</b></p> <ul style="list-style-type: none"> <li>• Up to 240 fps recording rate</li> <li>• Max. 5 internal HDDs</li> <li>• PTZ control via Coax cable</li> <li>• 8CH audio inputs / 1CH audio output</li> <li>• DVD-RW</li> <li>• Smart phone support</li> </ul>	<p><b>SRD-842</b></p>  <p><b>8CH 960H Real-time H.264</b></p> <ul style="list-style-type: none"> <li>• Up to 480fps recording rate</li> <li>• Easy user interface, common across all Samsung DVRS - GUI / Search / Back up / Set-up</li> <li>• Set independently for each channel - REC / Quality / Resolution</li> <li>• Privacy mask support each channel</li> <li>• Smart phone support</li> </ul>	<p><b>SRD-840</b></p>  <p><b>8CH CIF Real-time H.264</b></p> <ul style="list-style-type: none"> <li>• Up to 240(NTSC) fps recording rate</li> <li>• Internal Max. HDD x 1</li> <li>• Compact product footprint</li> <li>• Smart phone support</li> </ul>	<p><b>NEW</b></p> <p><b>SRD-494</b></p>  <p><b>WISENET HD+</b></p> <p><b>4CH 1080p Analog HD DVR</b></p> <ul style="list-style-type: none"> <li>• Up to 120 (1080p)fps recording rate</li> <li>• HDMI / VGA video output</li> <li>• 4CH audio inputs / 1CH audio output</li> <li>• Max. 2 internal HDDs</li> <li>• Coaxial control</li> <li>• Enhanced network bandwidth up to 64Mbps</li> <li>• 500m coax transmission</li> </ul>
<p><b>NEW</b></p> <p><b>SRD-493</b></p>  <p><b>WISENET HD+</b></p> <p><b>4CH 1080p Analog HD DVR</b></p> <ul style="list-style-type: none"> <li>• Up to 120 (1080p)fps recording rate</li> <li>• HDMI / VGA video output</li> <li>• 4CH audio inputs / 1CH audio output</li> <li>• Max. 1 internal HDDs</li> <li>• Coaxial control</li> <li>• Enhanced network bandwidth up to 32Mbps</li> <li>• 200m coax transmission</li> </ul>	<p><b>SRD-476D</b></p>  <p><b>4CH 960H Real-time 1280H</b></p> <ul style="list-style-type: none"> <li>• 4CH 1280H real-time DVR</li> <li>• Video Loophrough</li> <li>• Up to 120fps recording rate</li> <li>• Max. 1 internal HDDs</li> <li>• Video Spot(analog 1EA, Digital 1EA), USB(2ports) backup</li> </ul>	<p><b>SRD-473D</b></p>  <p><b>4CH 960H Real-time H.264</b></p> <ul style="list-style-type: none"> <li>• Max. resolution of 960 x 480 / 960 x 576</li> <li>• Coaxitron support</li> <li>• Smart phone support (Android / iOS)</li> <li>• Full HD 1080p video out via HDMI</li> <li>• Smart searching, Tampering detection</li> <li>• EnhancedNetwork Bandwidth up to 32Mbps</li> <li>• Smart phone support</li> </ul>	<p><b>SRD-470D</b></p>  <p><b>4CH 4CIF Real-time H.264</b></p> <ul style="list-style-type: none"> <li>• 4CIF resolution real-time recording capability</li> <li>• SATA I/F HDD support (Internal Max. HDD x 1)</li> <li>• DVD-RW</li> <li>• Smart phone support</li> </ul>	<p><b>SVS-5R/5E</b></p>  <p><b>RAID 5 Unit/HDD Extension Unit</b></p> <ul style="list-style-type: none"> <li>• 1U 19-inch rack case</li> <li>• Data transmission speed : Up to 3.0Gbps (SATA II)</li> <li>• Available SATA HDD : Up to 4TB</li> </ul>
<b>Controllers</b>				
<p><b>SPC-2000</b></p>  <p><b>Network Controller</b></p> <ul style="list-style-type: none"> <li>• Superior system compatibility</li> <li>• 3D joystick control</li> <li>• Quick and easy installation</li> <li>• Supports SSM, SmartViewer, NVRs, Net-i viewer</li> </ul>	<p><b>SPC-7000</b></p>  <p><b>System Control Keyboard</b></p> <ul style="list-style-type: none"> <li>• 5" TFT touch LCD</li> <li>• Control IP/Analog cameras &amp; DVRs</li> <li>• Up to 255 units with a single controller</li> <li>• Connect to a system up to 16 controllers</li> </ul>	<p><b>SPC-6000</b></p>  <p><b>System Control Keyboard</b></p> <ul style="list-style-type: none"> <li>• 5" TFT touch LCD</li> <li>• Control PTZ dome cameras, DVRs and matrix switchers</li> <li>• Up to 255 units with a single controller</li> <li>• Connect to a system up to 16 controllers</li> </ul>	<p><b>SPC-2010</b></p>  <p><b>PTZ/DVR System</b></p> <ul style="list-style-type: none"> <li>• Control up to 255 PTZ cameras/DVRs</li> <li>• Built-in 3 axis twist zoom joystick</li> <li>• Built-in Jog shuttle</li> <li>• 16 x 2 Character LCD display</li> <li>• RS-485 and RS-422 interface</li> <li>• Supports SSM, SmartViewer, NET-i viewer &amp; NVRs</li> </ul>	<p><b>SPC-1010</b></p>  <p><b>PTZ Control Keyboard</b></p> <ul style="list-style-type: none"> <li>• Control up to 255 PTZ cameras</li> <li>• Multi protocols supports</li> <li>• OSD Menu, 3D joystick control</li> <li>• RS-485 and RS-422 interface</li> </ul>
<b>Monitors</b>				
<p><b>NEW</b></p> <p><b>SMT-4032A</b></p>  <p><b>40" LED Monitor</b></p> <ul style="list-style-type: none"> <li>• Support up to 1920 x 1080 resolution</li> <li>• Fast response time 8ms</li> <li>• High contrast ratio 5000 : 1</li> <li>• Excellent picture quality with LED back light</li> <li>• Video Input : HDMI/VGA/Component (common)</li> </ul>	<p><b>NEW</b></p> <p><b>SMT-3232A</b></p>  <p><b>32" LED Monitor</b></p> <ul style="list-style-type: none"> <li>• Support up to 1920 x 1080 resolution</li> <li>• Fast response time 8ms</li> <li>• High contrast ratio 5000 : 1</li> <li>• Excellent picture quality with LED back light</li> <li>• Video Input : HDMI/VGA/Component (common)</li> </ul>	<p><b>SMT-2730</b></p>  <p><b>27" LED Monitor</b></p> <ul style="list-style-type: none"> <li>• Support up to 1920 x 1080 resolution</li> <li>• Contrast ratio 1,000 : 1</li> <li>• Excellent picture quality with LED back light</li> <li>• Video output : HDMI, VGA, Composite</li> </ul>	<p><b>SMT-1935</b></p>  <p><b>19" LED Monitor</b></p> <ul style="list-style-type: none"> <li>• Support up to 1280 x 1024 resolution</li> <li>• High contrast ratio 1000 : 1</li> <li>• Fast response time 5ms</li> <li>• Video output : HDMI, VGA, Composite</li> </ul>	<p><b>SMT-1931</b></p>  <p><b>19" LED Monitor</b></p> <ul style="list-style-type: none"> <li>• Support up to 1366 x 768 resolution</li> <li>• High contrast ratio 1,000 : 1</li> <li>• Fast response time 5ms</li> <li>• 120Hz motion technology</li> </ul>

# OTHERS


Others				
<p><b>SLA-E-M1240DN</b></p>  <p><b>6MP Day/Night Varifocal 1/2"</b></p> <ul style="list-style-type: none"> <li>• Design for 6MP CS mount surveillance box camera</li> <li>• Full glass optical composition with metal body</li> <li>• 12-40mm /F1.8</li> <li>• IR Corrected</li> <li>• DC Auto Iris</li> </ul>	<p><b>SLA-F-M419DN</b></p>  <p><b>6MP Day/Night Varifocal 1/1.8"</b></p> <ul style="list-style-type: none"> <li>• Design for 6MP CS mount surveillance box camera</li> <li>• Superior low light performance</li> <li>• 4.1-9mm /F1.6</li> <li>• IR Corrected</li> <li>• DC Auto Iris</li> </ul>	<p><b>SLA-F-M1550DN</b></p>  <p><b>3MP Day/Night Varifocal 1/2.7"</b></p> <ul style="list-style-type: none"> <li>• f15-50mm / F1.5</li> <li>• F1.0/F1.3/F1.3 DC type auto iris</li> <li>• Auto Iris (DC type)</li> <li>• ND Filter</li> <li>• Aspherical Lens</li> <li>• RoHS Compliant</li> </ul>	<p><b>SLA-F-M226DN</b></p>  <p><b>3MP Day/Night Varifocal 1/2.7"</b></p> <ul style="list-style-type: none"> <li>• SLA-F-M266DN: f2.2-6mm / F1.3</li> <li>• F1.0/F1.3/F1.3 DC type auto iris</li> <li>• Auto Iris (DC type)</li> <li>• ND Filter</li> <li>• Aspherical Lens</li> <li>• RoHS Compliant</li> </ul>	<p><b>SLA-M-M21D/M36D/60D</b></p>  <p><b>MegaPixel Fixed Lens</b></p> <ul style="list-style-type: none"> <li>• SLA-M-M21D: Super wide angle f2.1mm; SLA-M-M36D: f3.6mm; SLA-M-M60D: f6.0mm</li> <li>• High quality megapixel resolution</li> <li>• SLA-M-M21D: Compatible with SNV-6013, SNV-6012M; SLA-M-M36D/60D: Compatible with SNV-6013</li> </ul>
<p><b>SLA-3580DN/2812DN</b></p>  <p><b>CS-mount Auto Iris Lens</b></p> <ul style="list-style-type: none"> <li>• F1.0/F1.4/F1.3/F1.6 DC Type auto iris</li> <li>• Varifocal lens : (SLA-3580DN: 3.5 ~ 8mm / 0.14" ~ 0.31"; SLA-2812DN: 2.8 ~ 12mm / 0.11" ~ 0.47")</li> </ul>	<p><b>SLA-M2890DN/2890PN</b></p>  <p><b>3MP 1/2.8" CS-mount Auto Iris Megapixel Lens</b></p> <ul style="list-style-type: none"> <li>• F1.2 DC &amp; P-Iris type auto iris</li> <li>• Varifocal 2.8 ~ 9mm / 0.11" ~ 0.35"</li> </ul>	<p><b>SLA-M3180PN</b></p>  <p><b>CS-mount Auto Iris Megapixel</b></p> <ul style="list-style-type: none"> <li>• F1.4/F1.2 DC type auto iris</li> <li>• Varifocal lens : 3.1 ~ 8mm / 0.12" ~ 0.31"</li> <li>• P-Iris</li> </ul>	<p><b>SLA-12240/880</b></p>  <p><b>1/2" C-mount Motorized 20x /10x Zoom Lens</b></p> <ul style="list-style-type: none"> <li>• 1.3 Megapixel resolution:SLA-12240 / VGA resolution : SLA-880</li> <li>• 50mm lens with micro bolometer sensor</li> <li>• Auto Iris : DC(SLA-12240) /Video(SLA-880)</li> <li>• 20x optical zoom (12 ~ 240mm / 0.47" ~ 9.45")/10x optical zoom (8 ~ 80mm / 0.31" ~ 3.15")</li> </ul>	<p><b>PWR-P-POE15/POE30</b></p>  <p><b>15.4W PoE Single Port Injector</b></p> <ul style="list-style-type: none"> <li>• POE15 = 15.4W IEEE802.3af, the POE30= 30W IEEE802.3at</li> <li>• Supports 10/100/1000M Base-T Applications</li> <li>• Input: AC100-240V, 50/60Hz</li> <li>• PWR-P-POE15: Output: 54VDC, .03A</li> <li>• PWR-P-POE15: Output: 54VDC, .06A</li> <li>• CE /FCC Compliant</li> </ul>

## WiseStream Technology

WiseNet Q series camera's streaming performance is greatly enhanced by applying an advanced compression technology called WiseStream. WiseStream can reduce bandwidth by 50% by using Dynamic GOV control technology, and when used with High Efficiency Video Coding (H.265), the bandwidth efficiency can reach up to a 75% savings as compared to other camera technologies.



WiseStream Off



WiseStream On

